


Helioscreen external Blinds



 5 YEAR WARRANTY


 **helioscreen**[®]
Intelligent Sun Control Solutions[®]

HEADBOX TYPES



95 x 95mm

Max width 3m – Up to 9sqm



110 x 110mm

Max width 3.8m – Up to 11sqm



105mm round

Max width 3m – Up to 9sqm

SYSTEMS


European designed and engineered, Helioscreen's external headbox blind systems are built to last. Tough non-corrosive componentry will ensure years of trouble free operation.

Motorising your external blinds enables maximum ease of use and a clean uncluttered aesthetic. Systems can also be linked together on one motor for maximum efficiency.

Choose from the discrete square headbox of the **HM 65 95** and **HM 80 110** systems, or the elegant rounded profile of the **HM 65 105 ROUND** system. Also available are the open systems (no headbox) **HM 80 00 STAINLESS**, and **HM 130 00** which are able to be installed under eaves and can span widths of up to 5.4 metres in one blind.


Heavy-duty yet attractive **HELIO** or **TEARDROP** shaped weighted base bars increase stability in the elements and ensure optimal presentation of the fabric at all times. Choose from sleek aluminium side channels or marine grade stainless-steel cables, with fittings to suit any application.

OPEN SYSTEMS



HM 80 Stainless

Max width 3.8m – Up to 11sqm




HM 100 00 System*

Max width 4.4m – Up to 12sqm

HM 130 00 System*


Max width 5.4m – Up to 13sqm

BASEBAR TYPES



Helio


18 x 35mm



Teardrop


22 x 37mm

SIDE GUIDING



Side Channel

20 x 26mm



Stainless Cables

316 Grade



CONTROL

At Helioscreen we utilise the latest technology automation, including fully integrated façade management systems that react automatically to the elements. Blinds can be operated simply with a wall switch, a touch panel, or using a remote control.

* Use only in consultation with Helioscreen





Helioscreen external blind systems are suitable in both commercial and domestic applications and come with quality and performance warranties.

FEATURES

- Reduces sun's heat by up to 90%
- Reduces air conditioning costs
- Easy to use, motorised or crank operation
- Sun and wind sensor options
- Stainless steel guide cables or side aluminium channels
- Headboxes to suit architecture
- Open systems available (no headbox)
- Hardware finish: either anodised aluminium or choose from over 150 powder coat colours
- Link blinds together on one motor
- 5 Year warranty

HELIOSCREEN'S OUTDOOR RANGE

- 🔥 90% Reduced Heat Radiation
- 🌬️ Windsensor Retractor
- 🔒 5 Year Warranty
- 🔌 Powered by Somfy 5-year Motor Warranty

External Screens, Awnings, External Venetians, and Retractable Roof Systems

For further information

Helioscreen Australia Pty Ltd – Located Australia Wide

www.helioscreen.com.au enquiries@helioscreen.com.au | Phone 1300 766 319



Scan QR code
for more info

 **helioscreen**[®]
Intelligent Sun Control Solutions[®]