



SHADE 'N' SAILS



PERMANENT UMBRELLAS

BROUGHT TO YOU BY SHADE 'N' SAILS

FLEXSHADE® UMBRELLAS

MODULAR UMBRELLA & MEMBRANE STRUCTURES

Great looking and long lasting, the Flexshade® Waterproof Umbrella's provide the best all weather protection.

Wind rated to 160 km/h and guaranteed for ten years, each Umbrella comes with a wide variety of frame and fabric options, and a long list of heating and lighting extras.

The flexible PVC fabric allows natural light translucence, and square-frame members (on some models) allow the attachment of side curtain blinds for totally protected areas.



CONTACT SHADE 'N' SAILS FOR A FREE QUOTE 1300 467 423 enquiries@shadensails.com.au

- LONG LASTING FABRIC
- 10 YEARS STRUCTURAL WARRANTY
- 3D COMPUTER DESIGNED
- DURABLE STEEL FRAME
- ENGINEERED TO AUSTRALIAN STANDARDS
- RANGE OF COLOURS



SHADE'N'SAILS

PERFECT FOR RESIDENTIAL & COMMERCIAL APPLICATIONS

AN ARCHITECTURALLY DIVERSE RANGE OF PRODUCTS

QUARTET

SINGLE SQUARE CANOPY WITH A CENTRE POST



HEXAGONAL

SINGLE HEXAGONAL CANOPY WITH A CENTRE POST



SIDE POST

CANTILEVER UMBRELLA WITH A SINGLE SIDE POST (SQUARE OR HEXAGONAL)



BEAM EDGE

SQUARE EDGE FRAME FOR MOUNTING BLINDS AND OTHER STRUCTURES (CENTRE POST OR SIDE POST)




DUET

TWIN CANOPIES CANTILEVERED OFF A SINGLE SIDE POST




LINKS

JOIN MULTIPLE CANOPIES TOGETHER




PIVOT

ROTATE OR SWIVEL CANOPY TO INCREASE SHADE AREA BY OVER 250%



FLEXSHADE-SET AND FORGET WEATHER PROTECTION

THE GOLD STANDARD IN OUTDOOR WEATHER PROTECTION, FLEXSHADE® OUTDOOR UMBRELLAS CREATE FANTASTIC SUN AND RAIN PROTECTION UNLIKE ANY OTHER. ENGINEER DESIGNED TO SURVIVE EXTREME CONDITIONS, THESE PERMANENT UMBRELLAS ARE MADE TO LAST A LIFETIME.



**WIND SPEED RATED TO 160 KM/HR
DESIGNED TO AS1170 AUSTRALIAN STANDARDS**


HEATING AND LIGHTING OPTIONS

GIVE YOUR OUTDOOR AREA THAT EXTRA BIT OF WARMTH WITH THE ADDITION OF A HEAT-STRIP® OUTDOOR HEATER. THESE EFFICIENT HEATERS ARE EASILY ATTACHED TO FLEXSHADE® UMBRELLAS. ANOTHER FANTASTIC OPTION IS TO INCLUDE ADDITIONAL LIGHTING. GAIN THAT ALFRESCO DINING FEEL AND ENJOY YOUR OUTDOOR AREAS AT NIGHT, WITH A STYLISH STAINLESS-STEEL LIGHT FIXTURE.



ENGINEERED FOOTINGS & HOLD DOWN BOLTS

FLEXSHADE® IS SECURED USING A LARGE CONCRETE PAD OR PIER FOOTING. THE HIGH MPA CONCRETE IS REINFORCED BY A STEEL RIO-BAR CAGE. WIND LOADINGS ARE ENGINEER CALCULATED AND EACH UMBRELLA IS DESIGNED TO AUSTRALIAN STANDARDS. THE FRAME IS SECURELY FIXED USING CHEMICAL ANCHOR AND HOLD DOWN BOLTS, WHICH ARE SET INTO THE CONCRETE FOOTING.



TOUGH FABRIC OPTIONS

WATERPROOF PVC IS THE CHOSEN CANOPY MATERIAL FOR ALL FLEXSHADE® UMBRELLAS. THE PVDF COATED PVC IS HIGH TEAR STRENGTH, AND IS RESISTANT TO FADING. THIS MAKES EACH FLEXSHADE® AN EXTREMELY LONG LASTING CANOPY, WITH 100% RAIN AND SUN PROTECTION. TRANSLUCENT AND BLOCK OUT OPTIONS ARE BOTH AVAILABLE.



WIDE RANGE OF FRAME COLOURS

HOT-ZINC GALVANIZED STEEL IS POWDER-COATED TO YOUR CHOICE OF COLORBOND COLOURS. THIS GIVES YOU THE ULTIMATE FLEXIBILITY IN DESIGN, SIMPLY CHOOSE YOUR DESIRED COLOUR TO MATCH THE EXISTING SURROUNDS OF YOUR PROJECT.



SPECIFICATIONS

- SUN RESISTANCE :** 100% UV BLOCK OUT
- RAIN RESISTANCE :** 100% WATER RESISTANCE—IMPERMEABLE
- CANOPY SIZE :** QUARTET: 2.5M SQUARE UP TO 8M SQUARE
HEXAGONAL: 3.6M DIAGONAL UP TO 5.8M DIAGONAL
- CANOPY HEIGHT :** TYPICAL HEAD CLEARANCE IS 2.1M TO 2.4M
- WIND RATING :** 160 KM/HR WITH ENGINEERED FOOTINGS
- WIND LOAD :** 1 kN AT CORNER
- SNOW LOAD :** 0.95 kPa OVER GROUND


STRUCTURAL WARRANTY

FRAMEWORK, FIXINGS & FITTINGS, ALL COME WITH A 10 YEAR MANUFACTURERS WARRANTY.




FABRIC WARRANTY

PVC FABRIC IS MADE TO LAST WITH 10 YEAR WARRANTY AGAINST FADING AND DEGRADATION.



AROUND THE HOME



POOL SHADING



CARPARK SHADING



PUBS, CLUBS, HOTELS



SCHOOLS & CHILDCARE

SHADE 'N' SAILS SHOWROOM
28-30 OLD CRESWICK ROAD
WENDOUREE VIC 3355
WWW.SHADENSAILS.COM.AU



SHADE 'N' SAILS

CONTACT SHADE 'N' SAILS
FOR A FREE QUOTE
1300 467 423
enquiries@shadensails.com.au